



**EDGE10-11
manual slicer**

- 250 mm Diameter Chrome-Plated Carbon Steel Knife
- 1-Speed, 1/3 HP Knife Drive Motor
- Poly-V Belt Drive System
- Sanitary Anodized Aluminum Base
- Base dimension 485 x 325 mm
- Removable Carriage System
- Permanent Knife Ring Guard
- Removable Product Deflector
- Rear-Mounted Removable Meat Grip with Contoured Handle
- Top-Mounted Stone Sharpener
- Thickness adjuster 0-12mm
- Cut capacity \varnothing mm 175
- Cut capacity \square mm 175X235

**EDGE12-11
manual slicer**

- 300 mm Diameter Chrome-Plated Carbon Steel Knife
- 1-Speed, 1/2 HP Knife Drive Motor
- Poly-V Belt Drive System
- Sanitary Anodized Aluminum Base
- Base dimension 550 x 380 mm
- Removable Carriage System
- Permanent Knife Ring Guard
- Removable Product Deflector
- Rear-Mounted Removable Meat Grip with Contoured Handle
- Top-Mounted Stone Sharpener
- Thickness adjuster 0-14mm
- Cut capacity \varnothing mm 215
- Cut capacity \square mm 220X270





**EDGE13-11
manual slicer**

- 330" Diameter Chrome-Plated Carbon Steel Knife
- 1-Speed, 1/2 HP Knife Drive Motor
- Poly-V Belt Drive System
- Sanitary Anodized Aluminum Base
- Base dimension 550 x 380 mm
- Removable Carriage System
- Permanent Knife Ring Guard
- Removable Product Deflector
- Rear-Mounted Removable Meat Grip with Contoured Handle
- Top-Mounted Stone Sharpener
- Thickness adjuster 0-14mm
- Cut capacity \varnothing mm 230
- Cut capacity \square mm 235X255

**EDGE RETAIL
manual slicer**

- 330 mm Diameter Chrome-Plated Carbon Steel Knife
- 1-Speed, 1/2 HP Knife Drive Motor
- Poly-V Belt Drive System
- Sanitary Anodized Aluminum Base
- Base dimension 600 x 400 mm
- Removable Carriage System
- Permanent Knife Ring Guard
- Removable Product Deflector
- Rear-Mounted Removable Meat Grip with Contoured Handle
- Top-Mounted Stone Sharpener
- Thickness adjuster 0-14mm
- Long carriage movement (mm 360)
- Thickness adjuster 0-14mm
- Cut capacity \varnothing mm 230
- Cut capacity \square mm 235X300
- Tilting meat table system
- You can't start the machine if the gauge plate is open (EXTRA SAFETY)
- When you close the gauge plate, the machine stops to run (CLOSE TO STOP INTERLOCK)
- You can use the sharpener only with the gauge plate closed (SAFETY IN SHARPENING)

Optional: lifting system



OPTIONAL



EDGE13A-11
automatic slicer

- 330 mm Diameter Chrome-Plated Carbon Steel Knife
- 1-Speed, 1/2 HP Knife Drive Motor
- 1-Stroke, 1/3 HP Carriage Drive Motor
- Poly-V Belt Drive System
- Option: manual and automatic use
- Sanitary Anodized Aluminum Base
- Base dimensions 510 x 360 mm
- Removable Carriage System
- Permanent Knife Ring Guard
- Removable Product Deflector
- Rear-Mounted Removable Meat Grip with Contoured Handle
- Top-Mounted Stone Sharpener
- Thickness adjuster 0-14mm
- Cut capacity \varnothing mm 230
- Cut capacity \square mm 230X255



EDGE14-11
manual slicer

- 350mm Diameter Chrome-Plated Carbon Steel Knife
- 1-Speed, 1/2 HP Knife Drive Motor
- Poly-V Belt Drive System
- Sanitary Anodized Aluminum Base
- Base dimension 640 x 440 mm with a large plate behind the blade
- Removable Carriage System
- Permanent Knife Ring Guard
- Removable Product Deflector
- Rear-Mounted Removable Meat Grip with Contoured Handle
- Top-Mounted Stone Sharpener
- Thickness adjuster 0-18mm
- Cut capacity \varnothing mm 240
- Cut capacity \square mm 240X300

